

Crown & Bridge Rx

Today's Date _____ Due Date _____

DOCTOR INFORMATION

Name _____

Address _____

Phone _____ Email _____

PATIENT INFORMATION

Name _____

Apointment Date _____ Sex _____ Age _____

INVENTORY SENT WITH CASE

- Impression: Upper & Lower Articulator Photos:
 Bite Shade Tab Attached
 Other: _____ Facebow Emailed to **OttawaPhotos@microdental.com**

INSTRUCTIONS CALL ME BEFORE PROCEEDING WITH CASE

PLEASE SEND

- Rx forms
 Waybills
 Bags
 Boxes

FOR LAB USE ONLY

Dentist's Signature (Required) _____ License # (Required) _____

Person signing this authorization accepts sole responsibility for payment and agrees to pay all legal and collection costs in the event of suit, including reasonable fees. By law, dentist's signature will authorize MicroDental Laboratories to construct, alter, or repair the restoration described on this requisition.

866.222.0035 WHITE-LAB COPY / PINK-DOCTOR COPY | ©2022 MDLOTT 220117

All Ceramic Restoration

- Oe.max Porcelain to Zirconia ZEUS Full Zirconia
 Oe.max Pressed Zirconia ZEUS Ultra

Full Metal Crowns

- High Noble alloy (gold) Noble alloy (white) Noble alloy (yellow)
 Non-precious (white)

PFM Crowns

- High Noble alloy (gold colour) Porcelain butt margin
 Semi-precious (white colour) Porcelain metal junction
 Non-precious (white colour) Fine metal band


Implant Restorations

- Cementable Screw-retained

Shade _____ Stump Shade _____ (Required for All Ceramic)

Amount of Translucency

- Light Medium Heavy



Value

- Bright Medium Low

Occlusal Staining

- None
 Light
 Medium
 Dark
 Hypo-calcification
 Shade tab enclosed

Mould of Crown Desired

- Match surrounding
 Make ideal
 Follow pre-op
 Follow wax-up

Surface Anatomy

- Smooth
 Textured
 Match existing

Anterior Design or Posterior Design



No metal showing



Small lingual



High lingual



Occlusal excluding buccal cusp



Occlusal including buccal cusp

Pontic Design



Harmony



Ovate



Ridge Lap



Bullet



Hygienic

Return For

- Die Trim
 Metal Try-in
 Finishing
 Evaluation
 Wax check
 Bisque bake try-in

If Insufficient Room

- Reduce opposing
 Metal occlusion Metal island
 Reduction coping
 Reduce prep
 Please call

If Case Will Not Draw

- Make reduction copings
 Reduce model and mark
 Please call